

Order #: 101432

Date: 08/17/2026

MIAMI SHOWROOM



ORDER DETAILS

Job Name: MI42600511 (APT 2901)

Contact: N/A

Job Phone: N/A

Permit #:

Date Needed: 09/29/2026

Expiration Date: N/A

Next Call: N/A

Cust PO: N/A

PREPARED FOR:

Bill To: (5735)

WESTHAVEN CONSTRUCTION SERVICES, INC.
2400 West 84th Street
Unit 20
Hialeah, FL 33016-5707
(305) 458-5600
dipp727@gmail.com

Ship To: (66294)

WESTHAVEN CONSTRUCTION SERVICES, INC.
100 South Pointe Dr
Unit 2901
Miami Beach, FL 33139
(305) 458-5600
roger@westhavencn.com



Address

Miami Showroom
2644 SW 28th Lane
Miami, FL 33133

Phone & Fax

Phone: (305) 433-6189

Sales Associate

Alina Echavarri 35

Phone:

Email: alina.echavarri@fuseappliances.com

Order



Miami Showroom (MIA) (305) 433-6189
2644 SW 28th Lane
Miami, FL 33133

MIA-101432



Order Date: 05/29/2026
Date Desired: 09/29/2026
Sales Associate: Alina Echavarri 35
Job Name: MI42600511 (APT 2901)

Exp Date: N/A
Customer PO: N/A
Job #: N/A
Permit #: N/A
Next Call: N/A

Sold To: 5735 WESTHAVEN CONSTRUCTION SERVICE 2400 West 84th Street Unit 20 Hialeah, FL 33016-5707 Primary: (305) 458-5600 dipp727@gmail.com	Ship To: 66294 WESTHAVEN CONSTRUCTION SERVICES.INC #2901 100 South Pointe Dr Unit 2901 Miami Beach, FL 33139 Primary: (305) 458-5600 roger@westhavencn.com	WHSE NOTES	DELIVERY NOTES

#	Brand	Model Number	Image	Description	Notes	Est. Delivery	Qty
1	PRESITE INSPECTION	PRESITEPAC		PRESITE INSPECTION		Future Delivery	1
2	RECIRC REQ	RECIRC REQ		HE AIR MUST RECIRCULATE OUT OF THE TOP OF THE CABINET; THE CABINET CANNOT BE INSTALLED TO THE CEILING		Future Delivery	1
3	NO PANEL	NO PANEL		CUSTOM PANEL & HANDLES TO BE PROVIDED AND INSTALLED BY OTHERS		Future Delivery	1

MAIN KITCHEN

#	Brand	Model Number	Image	Description	Notes	Est. Delivery	Qty
1	Sub-Zero	DEC3050RR		Panel Ready - 30 DESIGNER COLUMN REFRIGERATOR - PANEL READY - R		ASAP Delivery	1
2	MISC	3036BIREF		INSTALL BIREF		ASAP Delivery	1
3	Sub-Zero	DEC1850FIL		Panel Ready - 18 DESIGNER COLUMN FREEZER WITH ICE MAKER - PANEL		ASAP Delivery	1

MAIN KITCHEN (Cont.)

#	Brand	Model Number	Image	Description	Notes	Est. Delivery	Qty
4	MISC	1824BIREF		INSTALL BIREF		ASAP Delivery	1
5	Sub-Zero	7023628		- SUB-ZERO DESIGNER HANDLE-TO-HANDLE DUAL INSTALLAT		ASAP Delivery	1
6	Miele	11805630		Graphite Grey - H 7880 BPX 30" ArtLine Single Oven MTouch Handless GRGR		ASAP Delivery	1
7	MISC	SNGLOVEN		INSTALL SINGLE OVN		ASAP Delivery	1
8	Miele	11804710		Graphite Grey - H 7870 BMX 30" ArtLine MTouch Handless GRGR		ASAP Delivery	1
9	MISC	SNGLOVEN		INSTALL SINGLE OVN		ASAP Delivery	1
10	Miele	12074200		Black - KM 7730 FR 30-inch Induction Cooktop - operated with its own controls		ASAP Delivery	1
11	MISC	3036ELECCKT		INSTALL COOKTOP		ASAP Delivery	1
12	Falmec	FIVAL28B5SSR1		VALENTINA PLUS 28 LINER INSERT, 500 CFM		ASAP Delivery	1
13	Falmec	FFCHAR3C0BL		Black - ROUND CHARCOAL FILTER, TYPE 6		ASAP Delivery	1
14	MISC	HOODINSERT		INSTALL HOOD INSERT		ASAP Delivery	1
15	Miele	11636710		Panel Ready - G 5051 SCVi Dishwasher		ASAP Delivery	1
16	MISC	DWINS		INSTALL DW		ASAP Delivery	1

MAIN KITCHEN (Cont.)

#	Brand	Model Number	Image	Description	Notes	Est. Delivery	Qty
17	Miele	11503650		KWT 2662 ViS - 24" MasterCool Wine Unit Integrated Sommelier RH		ASAP <i>Delivery</i>	1
18	Miele	10843070		WSS2600 SommelierSet		ASAP <i>Delivery</i>	1
19	MISC	1824BIREF		INSTALL BIREF		ASAP <i>Delivery</i>	1

I _____ agree to the terms and conditions

- Deposit/Payment on order does not imply Fuse is physically holding product in its warehouse. Payment in full and a 21-day lead time is required before delivery. - Seller is not responsible for shipping delays, backorders, or price increases due to causes beyond our control. (See last page for full terms and conditions.)

Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com



Model #: DEC3050R/R

Model #: DEC3050R/R

30" Designer Column Refrigerator - Panel Ready

Many fresh foods emit ethylene gas, a naturally-occurring compound that hastens food ripening and spoilage. Sub-Zero refrigerators come with an air purification system (based on technology developed by NASA) that scrubs the air of ethylene and odor every 20 minutes. Sub-Zero's microprocessor controls the interior temperature to within one degree of its setpoint. An advanced air seal around all four sides of the door prevents leaks while conserving energy.



**Panel Ready
Dimensions**
Width: 30.0 in
Height: 84.0 in
Depth: 24.0 in

Features:

- Split Climate® intelligent cooling system: Split Climate® intelligent cooling system revolutionizes Sub-Zero's already-superior preservation capabilities, keeping food even fresher for longer
- ClearSight® LED lighting system: ClearSight® LED lighting system fully illuminates the interior and reduces shadows.
- Sleek Stainless Accents: Sleek stainless accents trim the interior, matching the sophistication of the exterior
- Easily Customize Settings: Easily customize settings—from lighting to humidity—with the tap of a finger via the conveniently accessible touch control panel
- Night Mode: Night Mode optimizes the interior lighting based on the detected ambient light, reducing the brightness by 90% in dim environments
- Flip-Up Dairy Compartment: Lift the base of the flip-up dairy compartment to store taller items on the shelf below
- Adjustable Door Shelves: Position adjustable door shelves at various heights to accommodate assorted items
- Nano Coating: Nano coating lines the perimeter of each glass shelf to create a hydrophobic barrier that helps contain spills
- Easily Accessible NASA-Inspired Air Purification System: The easily accessible NASA-inspired air purification system scrubs the air of ethylene and odor every 20 minutes
- Wi-Fi Enabled Features: Wi-Fi enabled for convenient remote access using your mobile device or smart home system

Specifications:

General: Annual Energy Usage: 332.0 Refrigerator Capacity: 17.5

Consumption: Energy Cost Per Kwh: 0.14

Features: Electrical Supply: 115 VAC, 60 Hz Electrical Service: 15 amp dedicated circuit Weight: 425.0

Refrigerator: LED refrigerator lights 4 glass refrigerator shelves (3 adjustable; 1 stationary) 4 soft-close crisper drawers with adjustable dividers 5 door bins (3 adjustable; 2 stationary) 1 flip-up dairy compartment

Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com



Model #: DEC1850FI/L

Model #: DEC1850FI/L

18" Designer Column Freezer with Ice Maker - Panel Ready

Sub-Zero's microprocessor controls the interior temperature to within one degree of its setpoint. An advanced air seal around all four sides of the door prevents leaks while conserving energy. We believe your kitchen and home should be tailored and unique to you. Sub-Zero offers thousands of refrigeration solutions with various widths, innovative configurations, and limitless exterior customization. Modular in design, these units may be configured in any combination to create your ideal kitchen and home.



**Panel Ready
Dimensions**
Width: 18.0 in
Height: 84.0 in
Depth: 24.0 in

Features:

- ClearSight® LED lighting system: ClearSight® LED lighting system fully illuminates the interior and reduces shadows.
- Sleek Stainless Accents: Sleek stainless accents trim the interior, matching the sophistication of the exterior
- Easily Customize Settings: Easily customize settings with the tap of a finger via the conveniently accessible touch control panel
- Night Mode: Night Mode optimizes the interior lighting based on the detected ambient light, reducing the brightness by 90% in dim environments
- Adjustable Door Shelves: Position adjustable door shelves at various heights to accommodate assorted items
- Fresh-Tasting Filtered Ice: Fresh-tasting, filtered ice ready on demand; activate Max Ice Mode to temporarily increase ice production
- Locks in Cold Air With Magnetic System: Locks in cold air with a magnetic door seal system
- Wi-Fi Enabled Features: Wi-Fi enabled for convenient remote access using your mobile device or smart home system
- Industry-Leading Warranty: Sub-Zero offers an industry-leading full two-year warranty on appliances, along with a full five-year sealed system warranty
- Accepts Custom Panels: Accepts custom panels for an integrated look within cabinetry or stainless-steel accessory panels and handles to match other Sub-Zero, Wolf, and Cove products*

Specifications:

General: Annual Energy Usage: 455.0 Freezer Capacity: 8.8

Consumption: Energy Cost Per Kwh: 0.14

Features: Plumbing Supply: 1/4" OD copper, braided stainless steel or PEX tubing Plumbing Pressure: 35-120 psi Electrical Supply: 115 VAC, 60 Hz Electrical Service: 15 amp dedicated circuit Weight: 285.0

Freezer: LED freezer lights 4 freezer shelves (3 adjustable; 1 stationary) 2 storage drawers 5 adjustable door bins Ice drawer with automatic ice maker

Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com



Model #: 7023628

Model #: 7023628

Dual Installation Kit Handle-to-Handle

Kit required for dual installation of units. Includes heater, center trim strip and hardware.



Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com

Miele

Model #: 11805630

Model #: 11805630

H 7880 BPX 30" ArtLine Single Oven MTouch Handless GRGR

30" handleless oven in a combinable design with wireless precision probe.



**Graphite Grey
Dimensions**

Width: 29.81 in
Height: 28.62 in
Depth: 23.75 in

Features:

- M-Touch Display with Motion React - Simple to use touch controls
- FoodView and Miele@Home - see your food from anywhere with an in-oven camera
- Wireless precision probe - For simple and precise results
- Moisture Plus - a burst of steam for professional quality cooking results at home
- Direct Water - No need to fill any water tanks
- Taste Control - Prevents overcooked dishes
- Included: 1 Perforated baking tray. 1 Universal baking tray. 2 Self Clean Ready Baking and Roasting Racks. 1 Rack with rail system.

Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com

Miele

Model #: 11804710

Model #: 11804710

H 7870 BMX 30" ArtLine MTouch Handless GRGR

30" handleless compact speed oven in a perfectly combinable design with automatic programs and roast probe.



Graphite Grey
Dimensions

Width: 29.81 in
Height: 18.87 in
Depth: 21.68 in

Features:

- Speed ovens combine the functionality of a microwave and compact convection oven into one appliance
- M-Touch Display - Simple to use touch controls
- WifiConn@ct - Monitor appliances from your mobile device
- Motion React - Appliance reacts to you when approached
- Roast Probe - Precise temperature control of food
- Automatic programs - easily master new recipes
- Included: 1 Baking and Roasting Rack with Perfect Clean. 2 Glass Dishes.

Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com

Miele

Model #: 12074200

Model #: 12074200

KM 7730 FR 30-inch Induction Cooktop - operated with its own controls

With 4 round cooking zones



Black

Features:

- Intuitive quick selection via number sequences – Smart Select
- Versatile - 4 cooking zones, 1 extra large with diameter of 11 in
- With a width of 30 5/8 (775) in (mm) and stainless steel frame for proud-mounting
- Shortest heating-up times - TwinBooster
- Communication with the hood – automatic Con@ctivity

Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com

Model #: FIVAL28B5SS-R1

Valentina Plus 28" Liner Insert, 500 CFM

falmec

Model #: FIVAL28B5SS-R1

No Image



Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com

Model #: FFCHAR3C0BL

FFCHAR3C0BL - Round charcoal filter Ø 6" - Type 6

falmec

Model #: FFCHAR3C0BL



Black
Dimensions
Width: 6 in
Height: 6 in
Depth: 2 in

Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com

Model #: 11636710

G 5051 SCVi Dishwasher

Fully integrated dishwashers in tried-and-tested Miele quality at an affordable entry-level price.

Features:

- Top-class results in less than one hour – QuickIntenseWash
- Save up to 50% more electricity – hot water connection
- Versatile and secure – comfort basket design
- Very easy door opening and closing – ComfortClose
- Maximum versatility - Height-adjustable upper basket

Miele

Model #: 11636710



***Panel Ready
Dimensions***

Width: 23.5625 in
Height: 32.0625 in
Depth: 22.4375 in

Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com

Miele

Model #: 11503650

Model #: 11503650

KWT 2662 ViS - 24" MasterCool Wine Unit Integrated Sommelier RH

MasterCool Wine Conditioning Unit For high-end design and technology on a large scale.



NA
Dimensions
Width: 23.75 in
Height: 83.75 in
Depth: 24 in

Features:

- Push2open for convenient door-opening assistance
- Serve and enjoy to perfection – incl. SommelierSet
- Various wines at the perfect temperature – 3 temperature zones
- Flexible storage of large wine bottles thanks to FlexiFrame
- Light floods the interior thanks to LED elements – BrilliantLight

Sales Associate: Alina Echavarri 35
✉ alina.echavarri@fuseappliances.com

Miele

Model #: 10843070

Model #: 10843070

WSS2600 SommelierSet

SOMMELIERSET Practical connoisseur's set for your wine unit With Miele's unique SommelierSet, your guests will be impressed as you decant your fine wines like a professional. Your wine unit also has other advantages: enjoy champagne and white wine in chilled glasses and perfectly condition wine bottles even after they have been opened. Celebrate true wine enjoyment. Subject to technical changes; no liability accepted for the accuracy of the information given.



NA

Features:

- Everything covered: Cool glasses, prepare wine for decanting and even condition opened bottles to perfection
- Features depend on model. Images are only examples and used for explanation purposes
- Subject to technical changes; no liability accepted for the accuracy of the information given

MAIN KITCHEN Documents

Sub-Zero | DEC3050RR 30 DESIGNER COLUMN REFRIGERATOR - PANEL READY - R

-  [DEC3050R Quick Reference Guide](#)  [Designer Series Installation Guide](#)  [Subzero Design Guide](#)  [Designer Series Use and Care Guide](#)
-  [DEC3050R Quick Reference Guide](#)  [Subzero Design Guide](#)  [DEC3050R Energy Guide](#)  [Designer Series Installation Guide](#)
-  [Designer Series Use and Care Guide](#)

Sub-Zero | DEC1850FIL 18 DESIGNER COLUMN FREEZER WITH ICE MAKER - PANEL

-  [DEC1850FI Quick Reference Guide](#)  [Subzero Design Guide](#)  [DEC1850FI Energy Guide](#)  [Designer Series Installation Guide](#)
-  [Designer Series Use and Care Guide](#)

Sub-Zero | 7023628 SUB-ZERO DESIGNER HANDLE-TO-HANDLE DUAL INSTALLAT

-  [Installation Guide](#)

Miele | 11805630 H 7880 BPX 30" ArtLine Single Oven MTouch Handless GRGR

-  [Use and Care Manual](#)  [Spec Sheet](#)

Miele | 11804710 H 7870 BMX 30" ArtLine MTouch Handless GRGR

-  [Use and Care Manual](#)  [Spec Sheet](#)

Miele | 12074200 KM 7730 FR 30-inch Induction Cooktop - operated with its own controls

-  [Spec Sheet](#)

Miele | 11636710 G 5051 SCVi Dishwasher

-  [Use and Care Manual](#)  [Installation Guide](#)  [Energy Guide](#)  [Warranty](#)  [Spec Sheet](#)

Miele | 11503650 KWT 2662 ViS - 24" MasterCool Wine Unit Integrated Sommelier RH



[Installation Guide](#)



[Spec Sheet](#)

Terms & Conditions of Sale

Preparing for Delivery

Your satisfaction is our expectation for ourselves. This document is intended to present details about our service and delivery to ensure that your experience is as pleasurable as possible. Taking time to read this will minimize errors.

Our Role

- Standard Delivery of a new unit. Standard delivery refers to first floor deliveries for buildings or residences without elevator access.
- Removal of an existing disconnected unit on a one for one basis.
- Normal installation of electrical appliances to existing spaces. Installation refers to washer and dryers (not stacked or on pedestals), electric freestanding (anti-tip bracket installation is an additional charge) ranges and refrigerators connected to existing standard services. Please be aware that it is a fire hazard to install dryer vents to plastic duct. Customer installations are at an additional charge but do not include gas installations, modifying cabinets, countertops or hard-wired electrical appliances.
- Within 24 hours of your delivery date, you will be notified with a window of time that your delivery is expected to occur.
- Removal of the old unit will not be performed if it is laden with grease, oil, and/or pests of any type. We cannot be held responsible for damage caused by removal of old appliances. Fuse will not relocate appliances within the home.
- Fuse Specialty Appliances uses sub-contractors to install and uninstall gas or hard-wired electrical appliances as well as other work related to appliance installation and delivery. They are not authorized to perform alterations to cabinets or countertops nor are they authorized to install any appliance in a manner other than in compliance with manufacturer guidelines and local codes.

Your Role

- Measure all doors, hallways and staircases to assure that your appliances will fit. We cannot alter or exchange doors, door trims, or moldings.
- To protect your property and our delivery personnel, we require safe access into your home. Please make sure that all paths and walkways are clear of debris and in safe working condition.
- To prevent damage to your property and for the health of our delivery team, we cannot remove any appliance containing grease, oil or pests of any type. This also includes any biohazardous material.
- We require 48 hours' notice of any changes to your address, phone number, sales order to reschedule.
- If your delivery date was not confirmed at time of sale, please allow up to 14 days for delivery based on manufacturers' availability.
- Any delivery deemed unsafe to your property or our delivery team may not be performed and may require a third party to crane the appliances at an additional expense to you.
- Problems or damage to your property caused by our delivery team must be reported to our delivery drivers at the time of delivery. Please call 239-971-1030.
- Please inspect product condition within 24 hours from delivery for physical defects/shipping damage.
- We gladly accept the following forms of payment: American Express, MasterCard, Visa, Discover, or certified check though credit cards are subject to a 2.9% surcharge.
- The customer or agent authorized by the customer must sign for all products. Products will not be left without a signature and confirmation that product was received in good condition. All authorized agents must be 18 years old.

- When using a freight forwarder, Fuse Specialty Appliances' ownership of the merchandise passes to you or the freight company at the time of delivery to the freight forwarder or pick up from Fuse's warehouse. Freight claims should be made with the transport company for any damages.
- Customer is responsible to ensure all tradespeople associated with their project have product specifications and are made aware of any changes.

Cancellations

- Returns & Cancellations are subject to approval by Fuse Management. If approved, there will be a minimum 30% restocking fee. Special orders, accessories, ventilation, and customized product cannot be cancelled.

Service

- If merchandise is received defective or damaged, the defect or damage must be reported at time of delivery or receipt of merchandise by calling customer service at 800-280-0091.
- Fuse will be responsible for the pickup and re-delivery of any service or exchange item provided the item was delivered by Fuse.
- A service technician will always be the first resort to ensure simple settings or adjustments (including panel replacements) will not resolve the issue.
- If a service technician is able to resolve the issue, this will satisfy the merchandise being received in good condition.

Pricing

- Appliances are made of materials that are seeing significant changes in price that make it unable for us to accurately predict pricing changes. In the case of price increases, you will need to accept delivery within 30 days of the effective date of that price increase to maintain previous pricing or within 60 days of the date of the order.

Product Returns

- Product returns (if approved) must be made within 15 days of the date you receive your order. Product must be in brand new uninstalled condition. Previously installed, special order or special modifications cannot be returned under any circumstances. All accessories, clean instruction books and warranty card must be returned. Product that does not meet the criteria or has been used may not be returned. Fuse reserves the right to decline to an exchange or accept the return of any product other than the product that is initially defective after the 15 day period. Refunds for products being returned will be issued only once the products are received back to Fuse and meet our product return criteria listed. Product that does not fit will be subject to additional return and shipping/delivery fees and in some cases significant restocking charges can apply.

Outlet & Floor Models

- All items must be paid in full and delivered within 7 days of date of purchase. All items are sold AS-IS, all sales final, no returns, refunds and no layaways. If upon receiving the item and unit is refused by customer for physical damage or if Fuse determines that the unit is non-repairable, Fuse will issue a refund for the purchase price of the unit only.

Attorney Fees

- In the event of any collection activity, including litigation, arising from either the contract or the sale of goods, the prevailing party shall be entitled to recoup reasonable attorney's fees and costs.

Showroom Hours	Corporate Office & Warehouse	Ft. Myers Warehouse
Sunday: Closed M-F: 9:00a to 5:00p Sat: 10:00a to 4:00p	654 Hillsboro Technology Dr Deerfield Beach, FL 33441	16361 Lee Rd Ste 105 Fort Myers, FL 33912

Warehouse Customer Pickup Hours: 8a to 2p

Additional Terms as well as our Privacy Policy can be found at www.fusespecialtyappliances.com